



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/500,242	11/04/2004	Pascal Paganon	80350-1220	8939
24504 7590 03/25/2009 THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP 600 GALLERIA PARKWAY, S.E. STE 1500 ATLANTA, GA 30339-5994				
EXAMINER				
TRUONG, KEVIN THAO				
ART UNIT		PAPER NUMBER		
3734				
MAIL DATE		DELIVERY MODE		
03/25/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/500,242

Applicant(s)

PAGANON, PASCAL

Examiner

Kevin T. Truong

Art Unit

3734

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 December 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SE/US)
Paper No(s)/Mail Date /04.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Note: This is in response the amendment filed 12/03/2008.

Response to Amendment

1. The amendment to the claims submitted 12/03/2008 should have been submitted as a separate paper as required by 37 CFR 1.4(c). The paper has been entered.

However, all future correspondence must comply with 37 CFR 1.4.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Bonutti (US 5888196).

Note in figures 9 and 10 of Bonutti, a perforation means (142) can be used for perforating the pouch (150); and securing means (at 72) for securing a hollow tube (14) to the pouch (150); wherein the hollow tube (14) formed by anchor means (62) acting from the inside of the pouch (150); wherein the anchor means (62) are capable of being deployed by a control member (144); fluid removal means (at 26) for removing the fluid outside of the body of the patient; wherein the anchor means (62) are formed by a structure forming a hinged truss and at least one anchor arm; wherein the hollow tube (14) capable of having a guide wire disposed within the hollow tube (14); wherein the control member (144) organized to make it possible for a user to exert at least traction

and compression forces on the guide wire; wherein the at least one weak segment (at 62) extends parallel to the axis of symmetry of the hollow tube (14) between the front section and the back section; wherein the weak segments (at 62) are of identical type; wherein the at least one weak segment (at 62) is constituted by a slit or by slits; wherein the external connector (16) is secured in leaktight manner to the proximal portion (at 34), so that the cavity and internal volume form a single volume, the guide wire occupying sufficiently little space in said single volume for it to be possible to provide a space for passing a fluid sucked out via tubular end-pieces (146) in the hollow tube (14); and further wherein the flexible pouch (150) is an intra-gastric balloon designed to be used in treating obesity.

Response to Arguments

2. Applicant's arguments filed 12/03/2008 have been fully considered but they are not persuasive. In response to applicant's argument that the device disclosed in Bonutti is a surgical device, while the claimed device is a medical device. Because a surgical device is suitable for penetrating surgically into the human body, i.e. through an incision, while a medical device is designed specifically to penetrate into the human body through natural passageways without incision. Furthermore, there is no indication that Bonutti's device would be suitable for a medical use. In addition, pointed distal end (142) of Bunutti would not be sharp enough to be suitable for perforating a pouch containing a fluid and also, Bunutti's device is not designed to anchor inside of the pouch. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to

patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin T. Truong whose telephone number is 571-272-4705. The examiner can normally be reached on Monday-Friday from 8:00 AM to 4:30 PM..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Todd Manahan can be reached on 571-272-4713. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3734

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kevin T. Truong/
Primary Examiner, Art Unit 3734

Kevin T. Truong
Primary Examiner
Art Unit 3734